INFO SHEET

DAY USE LOCKER LOCK REFERENCE GUIDE

All of our Day-Use Lockers feature the complete lineup of security options, and are adaptable to any additional locking offers outside of this list below. Whether storing high value items or employee belongings, security features help your employees feel safe and secure at work. Our suite of locking options for Day-Use Lockers allow you to pick the perfect solution for your space and use of lockers.

MECHANICAL COMBINATION LOCKS









	DIGILOCK NEXT HASP LOCK	KEYED CAMLOCK MECHANICAL LOCK	DIGILOCK MECHANICAL COMBINATION LOCK	OJMAR 8001 COMBINATION LOCK
OPERATION	Allows Users to Bring their Own Padlock	Mechanical Key Operated Camlock	Dial Operated Numeric Interface	Dial Operated Numeric Interface
VISUAL INDICATOR	No	No	No	Red indicator
FINISH	Brushed Nickel	Brushed Nickel	Brushed Nickel	Matte Chrome
HANDLE TYPE	Integrated	No	Use Locking Knob	Integrated
CODE RETRIEVAL	N/A	N/A	*	*
WARRANTY	2 Year	2 Year	2 Year	3 Year
ADDITIONAL INFO	Cam Locking Mechanism Accommodates Standard Padlocks	Management Access with a Laser Cut Manager Key Locks Keyed Alike per Site Replaceable Cores for Manager Key Replacement	Code Retrieval Tool for Forgotten Codes Removable Cylinder	Code Finding Option Removable Cylinder

SELECT FROM ONE OF THESE LOCK OPTIONS OR USE ANY LOCK OF YOUR CHOICE



KEYPAD LOCKS







	DIGILOCK NUMERIS ASPIRE KEYPAD	ZEPHYR LOCK	OJMAR OCS PRO
OPERATION	Push Button Keypad	Push Button Keypad	Capacitive Touch Keypad
MANAGER KEY	Yes	Yes	Yes
VISUAL INDICATOR	Flashing LED	No	Flashing LED
FINISH	Brushed Nickel	Black Polycarbonate	Silver
HANDLE TYPE	Integrated	None	Integrated
BATTERY TYPE	(4) AA	(4) AA	(4) AA
BATTERY REQUIREMENT	Up to 5 years (up to 128,000 cycles)	10,000-20,000 cycles	Up to 5 years (3 when LED in use)
WARRANTY	2 Year	1 Year	Unknown
ADDITIONAL INFO	IP55 Rated	Battery Over-ride Available	Hygienic, Wipeable Surface
	ii oo katoo		IP56 - High Level Resistance to Water and Particles









RFID LOCKS







	DIGI NUMERIS ASPIRE RFID	OJMAR OTS ADVANCE	OJMAR NLX1
OPERATION	Battery Powered	Battery Powered	Battery Powered
VISUAL INDICATOR	Flashing LED	Flashing LED	Flashing LED
HANDLE TYPE	Integrated	N/A	Integrated
BATTERY REQUIREMENT	(4) AA	(4) AA	(4) AA
BATTERY LIFE	Up to 5 Years (up to 54,000 cycles)	30,000 Cycles	2 Years
IP RATING	IP55	IP55	IP65
NETWORKED/ REAL TIME DATA	No	No	Yes
13.5 MHZ CARD COMPATIBILITY	Yes	Yes	Yes
125 KHZ CARD COMPATIBILITY	No - Must Use Sticker	No - Must Use Sticker	No - Must Use Sticker
ADDITIONAL INFO	2 Year Warranty	Optional User Software for Audit Trail	Wireless Real-time Lock
		Advanced Programming	WiFi Enabled
			Remote Monitoring & Control
			Real Time Data Management
			RFID & Bluetooth Options (Must be specified at time of order)
			Only Available on HPL Doors
			Requires the Purchase of Additional Components from Ojmar

READY TO UNLOCK YOUR POTENTIAL?

When you're ready to explore the possibilities for bringing quality, style, and convenience to your space, get in touch to learn more about your options. We're truly your partner, offering space planning expertise, design insights, and inspirational ideas for enhancing comfort and productivity.

Contact Spacesaver to arrange a free, no-obligation space assessment from your local consultant. We'll help you find innovative, stylish solutions to all your storage challenges.

CONTACT US TO LEARN MORE.

www.spacesaver.com | 800.492.3434



Spacesaver Corporation 1450 Janesville Avenue Fort Atkinson, WI 53538-2798 800.492.3434 www.spacesaver.com